

Problem B

Magic Squares

Source file name: `msquares.c`, `msquares.cpp` or `msquares.java`

According to *Wikipedia*, “a *magic square* of order n is an arrangement of n^2 numbers, usually distinct integers, in a square, such that the n numbers in all rows, all columns, and both diagonals sum to the same constant”. This constant is the *module* of the magic square. There are well-known magic squares such as the order 3 chinese Lo Shu magic square:

4	9	2
3	5	7
8	1	6

It is allowed to use any collection of n^2 integer numbers to build a magic square of order n . The Passion façade of the Sagrada Família church in Barcelona, designed by Josep Subirachs, displays the magic square of order 4 and module 33 shown in the following figure. Note that, in this example, the given numbers are not the first n^2 integers and that there are repetitions.

1	14	14	4
11	7	6	9
8	10	10	5
13	2	3	15

Armadora de Cuadrados Magicos (ACM) is a recently founded enterprise that is interested on applications of magic squares to cryptography. For that reason, they want to develop software to help magic square builders in detecting if a given sequence of integer numbers may be arranged in a magic square. Your task is to help ACM in this task.

Input

The input consists of several test cases, each one defined by a line containing a sequence of m blank-separated integers x_1, x_2, \dots, x_m ($1 \leq m \leq 16$, $-10^3 \leq x_i \leq 10^3$ for each $1 \leq i \leq m$).

The input must be read from standard input.

Output

For each test case, output a line with exactly one letter: ‘Y’ to indicate that a magic square may be built with the numbers provided for the case, or ‘N’ otherwise.

The output must be written to standard output.

Sample input	Output for the sample input
1 2 3 4 5 6 7 8 9	Y
1 14 4 14 11 7 6 9 8 13 10 2 10 3 5 15	Y
4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 8	N
1 2 3 4	N
1 1 -1 -1	N
1 1 1 1	Y
-1 -1 -1 -1	Y
1 1 1	N