

## Problem J. Progressions

Input: Standard  
Output: Standard  
Author(s): Eddy Cael Mamani Canaviri - Coderoad Bolivia

Ailin is learning algorithms on matrices, and now she have an array of integers and she wonders what is the maximum submatrix that meets the following property:

$$a_{i,j} = a_{i-1,j} + 1 \quad (0 < i < p, \quad 0 \leq j < q)$$

$$a_{i,j} = a_{i,j-1} + 1 \quad (0 \leq i < p, \quad 0 < j < q)$$

Where  $p, q$  are the dimensions of the submatrix ( $1 \leq p \leq n, \quad 1 \leq q \leq m$ ) y  $n, m$  are the dimensions of the matrix ( $1 \leq n, \quad m \leq 1000$ ). A submatrix is larger than another if the number of cells of the first is greater than the number of cells in the second.

### Input

Input contains several test cases. Each test case begins with two integers  $n$  and  $m$  ( $1 \leq n, \quad m \leq 1000$ ), the number of rows and the number of columns of the matrix. The following  $n$  lines contain  $m$  numbers each, these are the values of the matrix  $a_{i,j}$  ( $1 \leq a_{i,j} \leq 1000$ ).

### Output

For each test case, you have to print in one line the number of elements of the maximum submatrix which meets the above described property.

### Example

Input	Output
4 7	8
3 4 5 6 7 8 9	1
5 4 2 7 8 9 10	
6 3 1 8 9 11 11	
7 4 2 9 11 10 12	
2 2	
4 4	
4 4	

Use fast I/O methods