









# **Problem C**

Input: Standard Input
Output: Standard Output



# **Making a Team**

It is now the year **2200** and programming contest activities have spread around the world like never before. It has been estimated that there may be as many as **10**<sup>7</sup> world class contestants in the world. Now your job is to form a team consisting of contestants only. Exactly one of the team members must be a team leader **(TL)**, exactly one must be lead developer **(LD)**, exactly one must be lead tester **(LT)**, exactly one must be marketing manager **(MM)**. Of course same person can hold more than one of these four posts. Anyone not holding any of these posts is an ordinary worker **(OW)**. Given the total number of world class contestants **N**, your task is to find out in how many ways can you form such a team. Two teams are different, if any one of the following conditions is satisfied:

- i) Total number of contestants in the two teams is different.
- ii) Two teams have same number of contestants and at least one contestant is different.
- iii) Two teams have same contestants and at least one contestant plays different role.

#### For example consider the following teams:

	Member 1	Member 2	Member 3	Member 4
Team A	Contestant A (TL)	Contestant B (LD)	Contestant C (LT)	Contestant D(MM)
Team B	Contestant A (TL & MM)	Contestant B (LD)	Contestant C (LT)	Contestant D (OW)
Team C	Contestant A (TL)	Contestant B (LD)	Contestant C (LT)	Contestant E(MM)
Team D	Contestant A (TL)	Contestant B (LD)	Contestant D (MM)	Contestant C (LT)
Team E	Contestant A (TL & LD && MM)	Contestant B (OW)	Contestant D (OW)	Contestant C (LT)

Here Team A and Team B are different (although members are same) as contestant A and contestant D have difference in their roles, Team A and Team C are different because member 4 are two different persons, Team A and Team D is the same team as all members and their corresponding roles are same (only written in different order). Team E is valid because there can be more than one OW.

# Input

The input file contains at most **10001** lines of input. Each line contains an integer **N** (**0**<**N**<**10000001**) denoting the total number of world class contestants. Input is terminated by a line containing a single zero. This line should not be processed.

#### **Output**

For each line of input produce one line of output. This line contains an integer **W** denoting the total number of ways to form a team. As this value can be too big, please output the modulo **100000007** (**10**<sup>8</sup> **+ 7**) value of **W** (or **W** % **100000007**).

# Sample Input

#### **Output for Sample Input**

· · · · · · · · · · · · · · · · · · ·	
2	18
4	680
100	95856450
0	